



VENTOOL

PRICELIST

www.ventool.co.uk



VENTOOL

ABOUT US



GENERAL

Ventool is a company based on long-lasting friendship between four people. We are registered in London but we deliver our wares for clients all around the Europe. Our offer contains wide spectrum of ventilation products, ducting etc.



PRODUCTION

During our production process we use the latest technology to fulfill 100% of our client's needs. Besides of the products in our catalogue, we are always open for your individual project so feel free to ask our sales department about your custom parts.



DELIVERY

We work days and nights to always be on time for you. Our logistic department is on duty 24/7 to update estimated time of arrival of your delivery.



SUMMARY

Our team is young, fresh and clean which means we work hard on every new order to give you the best prices at the market. Now, it is all on you! Contact us! We can't wait to start a cooperation with you!

CONTACT US

Seller:

Paul

+44 7402 568 918

paul@ventool.co.uk



VENTOOL

CONTENTS



Circle Ventilation Ducts	 4
--------------------------	---------



Flexible Ducting	 14
------------------	----------



Dampers Circle	 16
----------------	----------



Dampers	 19
---------	----------



Grilles, Diffusers and Boxes	 19
------------------------------	----------



Roof Equipment	 23
----------------	----------



Access Doors	 24
--------------	----------



Air Filters / Attenuators	 25
---------------------------	----------



Assembly Accessories	 26
----------------------	----------



Special Offer: Copper Coils	 27
-----------------------------	----------

SPR-VC



COIL PIPE

Round ventilation ducts of galvanised sheet

Ø d/3 m (50 mm)	PRICE	Ø d (50 mm)	PRICE
100	7,33	355	41,63
125	9,16	400	46,91
150	10,99	450	52,77
160*	11,73	500	58,64
180*	17,59	560	65,67
200	17,59	600*	73,88
224*	21,99	630	73,88
250	21,99	710	83,26
280*	26,99	800	93,82
300	26,99	900	131,93
315	27,71	1000	146,59

Ducts available in stock

k - goffered ducts with increased crush-resistance and negative pressure resistance, standard-manufactured at diameters between 250 and 1600 standard length 3 m 6, 9 and 12 m ducts produced to order

We make different sheet thickness ducts to order

BP-V90

**BP-V90, BP-V60,
BP-V45, BP-V30,
BP-V15**

Pressed bends



Ø d (mm)	BP-V90 angle 90° r=1xD	BP-V60 angle 60° r=1xD	BP-V45 angle 45° r=1xD	BP-V30 angle 30° r=1xD	BP-V15 angle 15° r=1xD
80	5,5	5,5	3,45	3,21	3,72
100	3,87	3,87	3,08	3,00	3,08
125	5,08	5,08	3,67	3,67	3,67
150	6,91	6,91	4,71	4,71	4,71
160*	7,41	7,41	5,02	5,02	5,02
180*	10,63	10,63	6,51	6,51	6,51
200	10,63	10,63	6,51	6,51	6,51
224*	11,99	11,99	8,34	8,34	8,34
250	13,26	10,33	8,87	7,40	7,40
280*	18,02	13,81	11,70	9,59	9,59
300	18,02	13,81	11,70	9,59	9,59
315	19,59	14,94	12,61	10,29	10,29
355	24,07	18,17	15,21	12,26	12,26
400	29,65	22,16	18,41	14,66	14,66
450	36,53	27,03	22,29	17,54	17,54
500	44,10	32,38	26,52	20,67	20,61
560	60,88	44,34	36,08	27,81	23,00
600*	75,46	54,54	44,07	33,61	25,80
630	75,46	54,54	44,07	33,61	25,80
710	117,54	67,45	54,16	40,87	30,15
800	146,68	83,59	66,72	49,85	36,50
900	162,49	115,04	91,31	67,59	43,86

Versions with gasket: **BPV90x, BPV60x, BPV45x, BPV30x, BPV15x** - contact us.



BPV90x



BPV60x



BPV45x



BPV30x



BPV15x

RPCV



REDUCERS

Pressed male reducers

Ø d (mm)	Ø d ₂ mm																				
	100	125	150	160	180	200	224	250	280	300	315	355	400	450	500	560	600	630	710	800	900
100																					
125	5,89																				
150	6,89	6,79																			
160*	6,79	6,69	8,99																		
180*	18,17	17,89	17,89	17,89																	
200	10,49	8,69	8,89	9,99	15,45																
224*	20,86	20,86	20,50	20,50	20,50	18,82															
250	17,95	11,99	11,99	10,99	16,93	10,99	16,69														
280*	19,47	20,36	19,61	19,61	18,75	18,03	18,03	18,03													
300	20,61	20,61	18,26	18,26	17,64	14,13	18,34	15,27	18,34												
315	20,61	20,61	18,26	18,26	17,64	11,99	18,34	12,59	18,34	16,23											
355	22,11	20,85	20,33	20,33	23,87	19,89	22,95	19,12	20,20	16,84	16,84										
400	25,96	23,46	22,71	22,71	26,76	22,32	26,78	22,32	25,19	20,99	20,92	19,29									
450		26,47	25,63	25,63	30,16	25,37	29,62	24,66	27,31	22,76	22,76	20,85	20,15								
500		27,16	27,16	27,16	26,91	26,91	31,77	26,47	29,99	24,98	24,96	22,62	21,42	21,42							
560			36,34	36,34	35,45	35,45	42,55	32,20	38,64	32,20	32,20	31,07	30,74	30,74	30,49						
600*			43,01	43,01	42,55	42,55	42,55	38,64	38,64	38,64	38,64	37,25	36,89	36,89	36,67	36,67					
630			39,16	39,16	38,77	46,52	46,52	35,53	42,63	35,53	35,53	34,37	34,12	34,12	34,12	34,12	40,94				
710										65,03	62,05	62,05	62,05	62,05	56,67	58,67	66,18	27,58			
800										65,03	65,59	62,05	62,05	62,05	58,67	58,67	66,18	27,58	27,58		
900													93,35	93,35	93,35	93,35	104,06	85,33	85,33	85,33	
1000															93,35	93,35	149,95	62,48	99,47	99,47	95,66

Versions with gasket: RCPVx - contact us.



RCPVx

TPCV



PRESSED TEE-PIECES

Galvanized steel

Ø d (mm)	Ø d ₂ mm													
	80	100	125	150	160	180	200	224	250	280	300	315	355	400
80	10,90													
100	8,29	8,29												
125	9,09	9,29	10,39											
140	11,19	11,19	11,49											
150	11,99	11,99	12,49	10,79										
160*	13,49	13,49	13,49	14,49	14,69									
180*	18,99	16,49	16,49	17,39	17,39	16,99								
200	16,49	16,49	16,49	16,49	15,99	26,99	16,49							
224*		20,15	19,75	23,35	22,70	38,65	24,90	26,75						
250	17,99	18,99	18,99	19,99	19,99	19,99	21,29		21,99					
280*		21,10	21,80	23,15	23,45	41,00	26,70	28,75	30,55	51,60				
300	25,99	27,99	21,99	29,99	21,99	32,49	24,49		25,49		25,99			
315		21,55	21,80	23,45	23,45	41,00	27,45	33,60	34,40	54,30	36,25	36,60		
355						57,35	33,15	33,15	37,40	69,30	40,05	40,05	46,15	
400		26,65		28,75	28,75	60,70	35,10	37,15	39,50	73,60	42,55	42,55	55,50	55,50
450		33,55	35,50	35,50	35,50	66,00	45,25	45,30	48,10	82,40	51,20	52,20	57,20	61,80
500		38,00	45,80	45,50	45,50	80,30	56,24	56,20	58,60	93,25	59,95	59,95	60,95	60,95
560						86,80	78,28	99,34	87,15	102,92	92,70	95,60	99,95	
600*														
630		63,20	65,40	63,46	73,55	90,30	82,37	101,40	93,14	109,45	98,60	101,80	108,70	

Versions with gasket: TPCVx - contact us.



TPCVx

SPV



PRESSED SADDLE

Pressed male reducers

Ø d (mm)	Ø d ₂ mm						
	100	125	150	160	200	250	315
100	3,90						
125	3,90	4,45					
140	3,90	4,45					
150	3,90	4,45	6,70				
160	3,90	4,45	6,70	6,70			
180	3,90	4,45	6,70	6,70			
200	3,90	4,45	6,70	6,70	7,30		
224	3,90	4,45	6,70	6,70	7,30	7,30	
250	3,90	4,45	6,70	6,70	7,30	7,30	
300	3,90	4,45	6,70	6,70	7,30	7,30	
315	3,90	4,45	6,70	6,70	7,30	7,30	11,70
400	3,90	4,45	6,70	6,70	7,30	7,30	11,70

Versions with gasket: **SPVx** - **contact us**.



SPVx

SSCCBV**CURVED SHOE**

Stainless steel

Ø d (mm)	Ø d ₂ mm								
	80	100	125	150	160	200	250	315	355
100	18,76	13,70							
125	18,76	13,70	14,85						
150	18,76	13,70	14,85	15,15					
160	18,76	13,70	14,85	15,15	16,80				
200	18,76	13,70	14,85	15,15	16,80	18,40			
250	18,76	13,70	14,85	15,15	16,80	18,40	21,60		
300	18,76	13,70	14,85	15,15	16,80	18,40	21,60		
315	18,76	13,70	14,85	15,15	16,80	18,40	21,60	27,80	
355	18,76	13,70	14,85	15,15		18,40		27,80	44,15
400	18,76	13,70	14,85	15,15	16,80	18,40			
450	18,76	13,70	14,85	15,15					
500	18,76			15,15		18,40			
630	18,76			15,15		18,40			

SSCFBV**FLAT SHOE**

Stainless steel

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
SSCFB-80	7,98	SSCFB-200	11,87	SSCFB-400	37,13
SSCFB-100	7,98	SSCFB-224	18,17	SSCFB-450	52,61
SSCFB-125	9,13	SSCFB-250	18,17	SSCFB-500	54,88
SSCFB-150	9,86	SSCFB-300	24,28	SSCFB-560	82,66
SSCFB-160	10,30	SSCFB-315	26,18	SSCFB-600	91,25
SSCFB-180	11,87	SSCFB-355	26,18	SSCFB-630	91,25

YSVV-45



Y PIECES

Galvanised steel

Ø d (mm)	Ø d ₂ mm																	
	100	125	140	150	160	180	200	224	250	280	300	315	355	400	450	500	560	630
100	23,32																	
125	25,16	25,16																
140																		
150	26,86	26,86	26,86	26,86														
160	27,57	27,57	27,57	27,57	27,57													
180	33,30	33,30	33,30	33,30	33,30	33,30												
200	34,50	34,50	34,50	34,50	34,50	34,50	34,50											
224					40,99	40,99	40,99	40,99										
250		48,50	48,50	48,50	48,50	48,50	48,50	48,50	48,50									
280							47,18	47,18	47,18	47,18								
300							39,32	39,32	39,32	39,32	39,32							
315	40,47	40,47	40,47	40,47	40,47	40,47	40,47	40,47	40,47	40,47	40,47	40,47						
355				44,72	44,72	44,72	44,72	44,72	44,72	44,72	44,72	44,72	44,72					
400		50,45	50,45	50,45	50,45	50,45	50,45	50,45	50,45	50,45	50,45	50,45	50,45	50,45				
450							46,78	46,78	46,78	46,78	46,78	46,78	46,78	46,78	46,78			
500			69,27	69,27	69,27	69,27	69,27	69,27	69,27	69,27	69,27	69,27	69,27	69,27	69,27	69,27		
560							71,56	71,56	71,56	71,56	71,56	71,56	71,56	71,56	71,56	71,56	71,56	
600				98,31	98,31	98,31	98,31	98,31	98,31	98,31	98,31	98,31	98,31	98,31	98,31	98,31	98,31	98,31
630							81,93	81,93	81,93	81,93	81,93	81,93	81,93	81,93	81,93	81,93	81,93	81,93

Versions with gasket: YSV-45x - **contact us.**

YSV45x

ASV45**HORIZONTAL COWL**

Galvanised steel

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
80	18,40	224	26,70	450	70,30
100	18,40	250	22,80	500	72,30
125	19,30	280	30,00	600	75,30
150	19,30	300	25,00		
160	19,30	315	26,50		
180	26,70	355	29,99		
200	22,80	400	29,90		

ILSNV**TAKE-OFFS WITH MESH**

Galvanised steel

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
80	13,34	200	18,95	400	31,45
100	15,75	224	21,47	450	41,83
125	15,80	250	22,87	500	42,93
140	17,20	280	23,73	560	44,73
150	17,20	300	25,50	600	49,80
160	17,50	315	27,15	630	55,82
180	18,05	355	30,63		

ILSFV



FLANGED SPIGOTS WITH RADIUS

Galvanised steel

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
80	1,52	250	3,66	630	12,50
100	1,52	300	4,32	710	13,34
125	2,04	315	5,10	800	16,70
140	2,25	355	5,57	900	20,90
150	2,26	400	6,51	1000	28,40
160	2,26	450	6,97	1120	102,72
180	3,14	500	9,28	1250	102,72
200	3,66	560	9,68	1500	209,48
224	3,80	600	10,68	1600	225,80

ILSV



FLANGED SPIGOTS

Galvanised steel

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
80	1,52	250	3,66	630	12,50
100	1,52	300	4,32	710	13,34
125	2,04	315	5,10	800	16,70
140	2,25	355	5,57	900	20,90
150	2,26	400	6,51	1000	28,40
160	2,26	450	6,97	1120	102,72
180	3,14	500	9,28	1250	102,72
200	3,66	560	9,68	1500	209,48
224	3,80	600	10,68	1600	225,80

NSV



MALE COUPLINGS

Galvanised steel

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
80	1,72	280	3,20	710	15,36
100	1,72	300	3,20	800	16,32
125	1,84	315	3,20	900	19,28
140	1,84	355	4,44	1000	20,08
150	1,84	400	4,56	1120	70,08
160	1,84	450	6,12	1250	76,55
180	2,36	500	6,12	1400	115,15
200	2,36	560	7,16	1500	132,20
224	2,48	600	8,52	1600	140,05
250	2,48	630	8,52		

Versions with gasket: **NSVx** - contact us.

MSFV



FEMALE COUPLINGS

Galvanised steel

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
80	1,72	280	3,20	710	15,36
100	1,72	300	3,20	800	16,32
125	1,84	315	3,20	900	19,28
140	1,84	355	4,44	1000	20,08
150	1,84	400	4,56	1120	70,08
160	1,84	450	6,12	1250	76,55
180	2,36	500	6,12	1400	115,15
200	2,36	560	7,16	1500	132,20
224	2,48	600	8,52	1600	140,05
250	2,48	630	8,52		

Versions with gasket: **MSFVx** - contact us.

CSV




FEMALE END CUP

Galvanised steel

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
80	1,32	280	8,16	710	39,92
100	1,32	300	8,16	800	47,04
125	1,72	315	8,40	900	56,36
140	1,72	355	9,48	1000	67,52
150	1,92	400	10,96	1120	220,00
160	1,92	450	26,44	1250	230,00
180	2,68	500	29,52	1400	320,00
200	2,68	560	31,00	1500	380,00
224	3,76	600	36,20	1600	420,00
250	3,76	630	36,20		

Versions with handle: CSVh - contact us.

AF-AL

ALUMINIUM
FLEXIBLE DUCT

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
80	8,99	160	11,99	315	26,99
100	9,39	200	15,49	400	30,00
125	9,99	250	19,99	500	32,52
150	11,49	300	23,99		

ALADV

4-LAYER WALL ALUMINIUM-POLYESTER ON A STEEL WIRE

Temperature between -20° and +140°
squeezed to 0,6 m (box) standart lenght 10m.

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
100	10,20	200	19,91	315	34,61
125	12,15	225	30,28	355	39,40
150	14,18	250	25,47	400	45,62
160	18,12	280	34,60	450	51,67
180	25,41	300	30,26	500	64,66

ALSDV**ALUDUCT INSERT**

Insulation layer thickness 25 mm. Temperature between -20° and +120°; jacket-polyester film internally perforated; squeezed to 1,2 m (box)

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
100	34,73	200	51,92	400	107,70
125	36,78	224	77,21	450	120,21
150	40,08	250	63,11	500	126,50
160	45,71	315	86,89		
180	63,11	355	94,26		

DATV



CLOSING DAMPER

Galvanised steel

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
80	9,20	224	18,17	450	39,17
100	9,89	250	16,22	500	47,55
125	10,21	280	16,22	560	54,70
150	11,39	300	17,25	600	250,00
160	11,39	315	19,46	630	290,00
180	13,39	355	21,71		
200	13,39	400	23,70		

Versions with gasket: **DASVx** - contact us.

DASV



REGULATING DAMPER

Galvanised steel

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
80	12,65	200	15,97	400	32,35
100	13,01	224	18,50	450	43,78
125	13,83	250	19,45	500	46,65
140	13,83	280	22,16	560	61,00
150	14,65	300	22,70	600	133,55
160	14,65	315	22,16	630	67,00
180	15,65	355	31,20		

Versions with gasket: **DATVx** - contact us.

IRVS



DUCT DAMPER TYPE IRIS

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
100	70,59	200	101,18	500	632,80
125	80,05	250	152,47	630	850,00
150	61,05	315	200,20	800	1218,10
160	88,05	400	386,15		

DAOV



NON-RETURN DAMPER

Galvanised steel

Ø d (mm)	PRICE	Ø d (mm)	PRICE	Ø d (mm)	PRICE
100	21,08	200	29,70	400	154,38
125	22,00	250	41,05	500	216,37
150	22,30	315	48,15		
160	22,40	355	134,00		

DSQW-V



DAMPER VOLUME CONTROL

Galvanized steel

mm	100	150	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000
100	26,32	27,60	27,60	28,86	30,11	31,39	32,67	32,67	33,92	35,19	36,45	36,45	37,74	37,74	38,99	38,99	40,25	42,78	42,78
150	30,11	30,11	31,39	32,67	33,92	33,92	35,19	36,45	36,45	37,74	38,99	38,99	38,99	40,25	42,78	42,78	45,33	45,33	46,59
200	32,67	33,92	33,92	36,45	36,45	37,74	37,74	38,99	38,99	40,25	42,78	42,78	45,33	45,33	46,59	46,59	47,85	47,85	49,11
250	36,45	36,45	36,45	36,45	38,99	40,25	40,25	42,78	42,78	44,04	45,33	46,59	47,85	47,85	49,11	49,11	50,40	50,40	51,66
300	38,99	38,99	40,25	42,78	42,78	42,78	44,04	46,59	46,59	47,85	47,85	49,11	50,40	50,40	51,66	54,18	54,18	54,18	56,71
350	42,78	42,78	44,04	45,33	46,59	47,85	47,85	49,11	50,40	50,40	51,66	51,66	54,18	54,18	56,71	57,99	57,99	59,25	60,51
400	46,59	46,59	47,85	49,11	49,11	50,40	51,66	51,66	54,18	54,18	56,71	57,99	57,99	59,25	60,51	60,51	61,78	61,78	61,78
450	49,11	49,11	50,40	51,66	51,66	54,18	54,18	56,71	56,71	59,25	59,25	60,51	61,78	61,78	61,78	64,31	64,31	65,56	66,84
500	51,66	51,66	54,18	54,18	56,71	57,99	59,25	60,51	60,51	61,78	61,78	61,78	64,31	65,56	66,84	66,84	69,38	70,65	70,65
550	56,71	56,74	57,99	59,25	59,25	60,51	61,78	61,78	64,31	65,56	65,56	66,84	69,38	70,65	70,65	70,65	74,44	76,96	76,96
600	59,25	59,25	60,51	61,78	61,78	64,31	65,56	65,56	66,84	69,38	70,65	70,65	74,44	76,96	76,96	78,25	79,51	80,78	82,03
650	61,78	61,78	64,31	65,56	66,84	69,38	70,65	70,65	70,65	70,65	76,96	78,25	78,25	79,51	82,03	83,32	84,58	85,81	88,36
700	64,31	65,56	66,84	69,38	70,65	70,65	74,44	75,71	76,96	78,25	79,51	80,78	82,03	83,32	85,81	88,36	89,63	89,63	94,70
750	66,84	69,38	70,65	70,65	74,44	76,96	78,25	79,51	80,78	82,03	83,32	84,58	85,81	89,63	89,63	94,70	95,97	97,23	98,49
800	70,65	70,65	74,44	75,71	78,25	78,25	80,78	83,32	85,81	88,36	89,63	89,63	94,70	95,97	97,23	98,49	99,76	102,30	106,11
850	74,44	76,96	79,51	80,78	82,03	82,03	85,81	88,36	89,63	89,63	94,70	95,97	97,23	99,76	102,30	103,57	107,37	107,37	106,63
900	78,25	79,51	80,78	83,32	85,81	87,10	89,63	89,63	94,70	95,97	98,49	99,76	103,57	106,11	107,37	108,63	111,15	115,43	116,23
950	80,78	82,03	84,58	85,81	89,63	89,63	94,70	95,73	98,49	99,76	103,57	106,11	107,37	108,63	111,15	113,69	116,23	118,77	120,03
1000	83,32	85,81	88,36	89,63	90,90	95,97	97,23	99,76	102,30	106,11	107,37	108,63	112,43	113,69	117,49	118,77	122,55	123,82	126,36

DSQV



SINGLE LEAF DAMPER

Galvanized steel

height B (mm)	width A (mm)						
	100	160	200	250	300	400	500
100	45,60	52,25	57,45	65,40	69,35	89,20	102,15
160	52,25	59,00	64,95	71,35	77,65	99,50	
200	57,45	64,95	70,75	77,35	83,95	107,15	121,36
250	63,45	71,35	77,35	84,30	91,25	116,05	131,02
300	69,35	77,65	83,95	91,24	98,55	125,05	140,65
400	96,85	95,96	102,78	110,74	118,78	140,60	457,55
500	99,61	109,55	116,95	125,60	134,30	158,46	176,85

SGRV-0

GRILL FOR COIL PIPES

SGRV-1

GRILL FOR COIL PIPES

SGR-DA

DAMPER FOR SGR-O AND SGR-1

d (mm)	SGRV-0	SGRV-1	SGR-DA
325-125	13,50	20,07	14,58
325-225	13,75	30,79	20,17
325-75	11,67	14,22	14,27
425-125	14,63	22,19	15,09
425-225	19,30	30,37	22,58
425-75	10,80	16,00	15,70
525-125	20,08	42,84	17,50
525-225	28,08	30,47	26,50
525-75	16,70	18,50	17,50
625-225	30,80	45,77	25,25
625-75	17,30	21,50	16,16
625-125	22,60	30,47	20,80
825-125	29,09	36,20	25,94
825-225	39,05	53,61	40,72
825-75	22,45	28,51	24,04

SHRV**RECTANGULAR CABLE**

d (mm)	PRICE	d (mm)	PRICE
200-100	11,43	300-150	17,82
200-150	13,13	300-200	21,12
200-200	14,11	400-200	25,57
250-200	20,76	400-300	30,51
300-100	14,55	500-300	44,74

KWV-RMEXHAUST AIR VALVE
WITH MOUNTING FRAME

Ø d (mm)	PRICE/pcs.
80	5,85
100	5,85
125	7,45
150	8,10
160	8,30
200	10,60
250	13,80

KNW-RMSUPPLY AIR VALVE WITH
MOUNTING FRAME

Ø d (mm)	PRICE/pcs.
80	5,85
100	5,85
125	7,45
150	8,10
160	8,30
200	10,60
250	13,80

KW-V-RMCHROME NICKEL
EXHAUST AIR VALVE

Ø d (mm)	PRICE/pcs.
80	6,36
100	6,63
125	7,95
150	10,62
160	11,55
200	15,82

KN-V-RMCHROME NICKEL
INHAUST AIR VALVE

Ø d (mm)	PRICE/pcs.
80	6,36
100	6,63
125	7,95
150	10,62
160	11,55
200	15,82

KN-RMVINHAUST AIR VALVE
WITH MOUNTING FRAME

Ø d (mm)	PRICE/pcs.
80	6,67
100	7,99
125	10,88
160	14,92
200	19,90

KNI-RVICHROME NICKEL
EXHAUST AIR VALVE

Ø d (mm)	PRICE/pcs.
80	6,67
100	7,99
125	10,88
160	14,92
200	19,98

KCNVEXHAUST AIR VALVE WITH
SEAL AND MOUNTING FRAME

Ø d (mm)	PRICE/pcs.
100	11,62
125	14,30
150	18,35
160	22,80
200	27,91

USAV

EXTERNAL GRILLE

Ø d (mm)	PRICE/pcs.	Ø d (mm)	PRICE/pcs.
100	3,15	250	13,32
125	3,99	315	23,25
150	4,90	400	39,26
160	5,74	500	86,00
200	8,50		

USUV

EXTERNAL GRILLE

Ø d (mm)	PRICE/pcs.
100	12,72
125	17,10
150	20,07

ULAVCHROME NICKEL-PLATED
AIR INTAKE WALL
MOUNTED WITH OVERLAP

Ø d (mm)	PRICE/pcs.
100	10,15
125	11,90
150	15,15
160	15,15
200	29,54

ULEVCHROME NICKEL-PLATED
AIR INTAKE
WALL MOUNTED

Ø d (mm)	PRICE/pcs.
100	6,75
125	8,60
150	11,28
160	19,50
200	22,75

USUVAOUTDOOR
ONE WAY LOVER


mm	PRICE/pcs.
100	14,99
125	21,50
150	23,69

RM-NCD-V**CIRCULAR DIFFUSER ADAPTER**

code	anemostat	price	PRWV xBDx	anemostat	price
RM-NCD-150	150	7,49	RM-NCD-300-250	300	10,76
RM-NCD-150-125	150	7,88	RM-NCD-300	300	11,22
RM-NCD-150-160	150	7,88	RM-NCD-300-315	300	11,79
RM-NCD-200	200	8,48	RM-NCD-350-315	350	13,91
RM-NCD-250	250	10,22	RM-NCD-350	250	10,76
RM-NCD-250	200	9,83			

NCDV**DIFFUSER**

Ø d (mm)	PRICE/pcs.
NCDV-150	12,75
NCDV-200	15,86
NCDV-250	22,16
NCDV-300	28,03
NCDV-350	37,21

NCD-SV**4-WAY DIFFUSER**

d (mm)	PRICE/pcs.
295x295	14,08
370x370	18,44
445x445	24,24
520x520	31,72
595x595	31,73

NCD-S-DAV**DAMPER FOR
NCD-SV**

d (mm)	PRICE/pcs.
295x295	7,60
370x370	11,20
445x445	16,80
520x520	22,40
595x595	29,70

WD-C1-V**ROOF INTAKE
LIGHT TYPE**

d (mm)	PRICE/pcs.	d (mm)	PRICE/pcs.
100	32,88	400	105,46
125	36,11	450	123,70
160	37,02	500	149,23
200	43,95	630	199,70
250	58,54	800	302,07
315	76,83		

WD-C2-V**ROOF INTAKE
LIGHT TYPE**

d (mm)	PRICE/pcs.	d (mm)	PRICE/pcs.
100	33,98	400	114,65
125	37,87	450	148,20
160	41,68	500	170,90
200	50,05	630	263,67
250	61,35	800	389,72
315	80,94		

HANV**JET COWL**

d (mm)	PRICE/pcs.	d (mm)	PRICE/pcs.
100	42,30	315	99,04
125	43,56	355	123,33
150	56,08	400	149,09
160	56,08	450	198,08
200	68,58	500	231,01
250	88,99	560	269,80
300	91,81	630	340,01

PDQV**RECTANGULAR
ROOF LEADS-INS**

d (mm)	PRICE/pcs.	d (mm)	PRICE/pcs.
250x250	363,22	400x630	724,75
250x400	460,95	630x630	899,00
400x400	564,93	1000x1000	1500,50

WDBV**CYLINDRICAL
AIR OUTLET**

d (mm)	PRICE/pcs.	d (mm)	PRICE/pcs.
100	42,55	400	203,37
125	38,86	450	247,18
160	45,11	500	311,96
200	70,86	630	506,60
250	87,17	800	757,85
315	134,43		

**VHKV****VENTILATION CAPS**

d (mm)	PRICE/pcs.	d (mm)	PRICE/pcs.
80		355	60,70
100	18,03	400	81,41
125	19,23	450	114,73
150	22,05	500	146,90
160	22,43	560	184,61
200	29,41	600	1334,12
224	35,72	630	222,33
250	41,18	710	1545,13
315	53,75	800	1852,04

IPFDV



ACCESS DOOR

Galvanized steel

code	PRICE	code	PRICE	code	PRICE
IPFDV-100-100	7,53	IPFDV-300-200	10,49	IPFDV-450-300	14,08
IPFDV-150-100	7,96	IPFDV-300-300	11,28	IPFDV-450-450	15,94
IPFDV-150-150	8,39	IPFDV-350-350	12,03	IPFDV-500-500	17,88
IPFDV-200-200	9,48	IPFDV-400-200	11,28	IPFDV-600-600	23,61
IPFDV-250-250	10,49	IPFDV-400-300	12,03		
IPFDV-300-150	10,41	IPFDV-400-400	14,36		

IPRV



ACCESS DOOR FOR
ROUND DUCTS

Galvanized steel

Ø D (mm)	PRICE/ pcs.	Ø D (mm)	PRICE/ pcs.	Ø D (mm)	PRICE/ pcs.
100	9,72	250	11,80	500	20,05
125	10,24	315	12,05	560	21,07
150	10,88	355	14,05	630	22,09
160	10,99	400	15,05	710	23,07
200	11,70	450	19,08	800	24,09

IPFV



ACCESS DOOR FOR
RECTANGULAR DUCTS

Galvanized steel

Ø D (mm)	PRICE/pcs.
200-100	14,80
300-200	16,30
400-200	23,85
400-300	30,90
500-400	38,60
600-500	44,70

UFIV

DUCT FILTER

$\varnothing d_1$ (mm)	price
UFIV 100	36,10
UFIV 125	37,21
UFIV 150	41,75
UFIV 160	41,75
UFIV 200	44,55
UFIV 250	51,07
UFIV 315	60,60
UFIV 400	84,70

FSBVDUCT FILTER HOUSING
WITH ROUND
CONNECTION

d (mm)	price
100	26,38
125	27,05
150	30,75
160	30,75
200	32,41
250	36,36
315	42,18
355	45,20
400	50,45
450	59,22
500	64,46

ATTENUATORS

SILVATTENUATOR
WITH GLASS WOOL**SILV-50**

$\varnothing d$ (mm)	L (mm)				$\varnothing d$ (mm)	L (mm)			
	300	600	900	1200		300	600	900	1200
100	19,67	23,80	32,90	47,20	250	39,60	44,90	58,90	75,00
125	20,02	24,60	35,30	48,50	300	43,00	49,70	61,80	84,90
150	23,13	28,70	37,80	53,90	315	43,20	50,70	68,10	95,40
160	25,60	31,20	40,59	54,50	355	58,90	66,70	88,90	102,10
200	32,70	38,10	49,30	65,30	400	60,40	67,80	98,10	117,60

CLRV

DOUBLE CLAMPING
RINGS FOR ASSEMBLY

Galvanised mounting clamping ring double

Ø d ₁ (mm)	price	Ø d ₁ (mm)	price
80	2,26	400	4,85
100	2,26	450	7,20
125	2,26	500	8,15
150	2,26	560	8,90
160	2,66	600	10,15
180	2,66	630	10,15
200	2,76	710	12,40
224	3,90	800	15,20
250	3,90	900	26,50
280	3,90	1000	30,18
300	4,06	1120	66,50
315	4,63	1250	79,50
355	4,74		

TLVV

SELF ADHESIVE
SEALING BANDS

width x lenght	price/pcs
50x50	2,78
75x50	4,17
100x50	5,20

NKS-KV

STAINLESS STEEL
SCREWDRIVER

M8/ 5kg	6,12
M10/ 5kg	6,41

TKSV

STEEL TIGHTENING
BANDS

code	amount	price
TKSV-090	10	26,70
TKSV-110	10	10,01
TKSV-135	10	11,81
TKSV-165	10	12,84
TKSV-215	10	14,29
TKSV-270	10	15,86
TKSV-325	10	22,46
TKSV-380	10	27,36
TKSV-525	10	40,28
TKSV-660	10	contact us

PBVV



FITTINGS BANDS

code	LENGHT	price/pcs
PB-25-08	30 m	11,75



VENTOOL

VENTOOL® SPECIAL OFFER

COPPER COILS FOR CENTRAL HEATING

Advantages of VENTOOL® copper coils

- Suitable for hand manipulation and forming
- Supplied in various lengths up to 25 metres
- Supplied in R220 (annealed) coiled condition
- Certificate of conformity with EN 1057

and at least - BEST PRICE!



TUBE SIZE	PRICE	TUBE SIZE	PRICE
6 mm	45,99	15 mm	114,99
8 mm	56,49	18 mm	149,99
10 mm	65,00	22 mm	199,99
12 mm	99,99		

+44 7402 568 918
paul@ventool.co.uk

www.ventool.co.uk

CALL 
AND NEGOTIATE THE
PRICE!

CONTACT US

Paul
+44 7402 568 918
paul@ventool.co.uk

www.ventool.co.uk